Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

KLOW 80mg - 80mg

Tested for: Nu-Gen Peptides

PASS

Scan to verify authenticity at ils-lab.com
Access Code: VDFS232G

COA #:	**COA-2026-JZNBJ2**	Analysis Date:	**06/29/2026**
Lot Number:	**LOT2026-02**	Appearance:	**Good**
Labeled Content:	**80mg**	Date Received:	**06/21/2026**

Method: **Blend Purity & Quant (HPLC)**

Identity	Peptide Purity	
KLOW 80mg	**99.59%**	**Fentanyl Free**




KLOW 80mg 80mg - LOT2026-02

Blend Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**99.59%**	%	**PASS**
Net Blend Peptide Content	Report Only	**82.83**	mg	N/A
-- GHK-Cu		*51.89*	*mg*	
-- BPC-157		*10.28*	*mg*	
-- TB-500		*10.49*	*mg*	
-- KPV		*10.17*	*mg*	
Identity (HPLC-RTM)	GHK-CU + BPC-157 + TB-500 + KPV	**Confirmed**	-	**PASS**
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	**PASS**

HPLC Chromatogram



KLOW 80mg 80mg - LOT2026-02: UV Chromatogram

Notes & Methodology

1. Date Tested: 06/29/2026. Methods: Blend Purity & Quant (HPLC).
2. The sample was confirmed to be KLOW 80mg by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
4. Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (GHK-Cu, BPC-157, TB-500, KPV). All components confirmed present by HPLC identity testing, unless explicitly stated otherwise.

Dr. Greg Kalyuzhny
Lab Director
6/29/2026

COA #: **COA-2026-JZNBJ2**
Access Code: **VDFS232G**
Verify: lab.ils-lab.com
Issued: 6/29/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.